

PERIODIC CHECKING OF PERSONAL PROTECTIVE EQUIPMENT

QUICK LINKS

DEVICE IDENTIFICATION SHEET

Trademark		Manufacturer	PEGUET FRANCE
Reference standards	EN 362, EN 12275		

PARTS IDENTIFICATION

PRIMARY ELEMENTS	Body, screwgate sleeve.
SECONDARY ELEMENTS	/
REPLACEABLE PARTS	/

Fill-out this inspection sheet following the inspection procedure, photographs and instructions supplied by the manufacturer, which you can download from www.climbingtechnology.com. **Attention!** The examiner's verdict on the severity of the anomaly must be based on objective criteria and the specific training received. The producer accepts no responsibility deriving from inexact information recorded by the user or servicer.

DEVICE PERIODIC CHECK SHEET

1) HISTORY AND GENERAL CHECK	
1.1	Check the existence and the readability of the marking details, in particular the CE symbol and the applicable EN norm/standard.
1.2	Check that device has not exceeded the storage and/or in-use lifetime, as stated in the specific instructions for use.
1.3	Check that the device is intact and no parts are missing (check against a new product).
1.4	Check that the device has not been modified outside the factory or serviced in a non-approved centre (check against a new product).
1.5	Check that the device has not experienced an exceptional event (e.g. fall from height, violent blow, etc.). Even in the absence of visible defects or deterioration, the original strength could be seriously reduced.
2) VISUAL CHECK	
2.1	CHECKING THE BODY <ul style="list-style-type: none"> • Verify there are no deformations, cuts or cracks more than 1 mm deep. • Verify that there are no signs of wear deeper than 1 mm, paying more attention to the areas of contact with rope and other devices. Check there is no corrosion or oxidation.
2.2	INSPECTION OF THE SCREWGATE SLEEVE <ul style="list-style-type: none"> • Verify there are no deformations, cuts or cracks more than 1 mm deep. Check that all parts are in the original position (check against a new product). • Check there is no corrosion or oxidation. • Check that internal openings are not obstructed with foreign material.

PERIODIC CHECKING OF PERSONAL PROTECTIVE EQUIPMENT

QUICK LINKS

3) FUNCTIONAL CHECK

3.1 CHECKING CLOSURE SYSTEM

Check the functioning of the sleeve by unscrewing and screwing it up completely. When the sleeve is screwed up, the threads should not be visible. If necessary, lubricate the threads with a silicon-based spray and in accordance with the device's instructions for use.

The examiner's verdict on the severity of the anomaly must be based on objective criteria and the specific training received. The producer accepts no responsibility deriving from inexact information recorded by the user or servicer.

PHOTO APPENDIX

QUICK LINKS



Quicklink with the screw-up sleeve screwed beyond allowed limit.