

# PERIODIC CHECKING OF PERSONAL PROTECTIVE EQUIPMENT ANCHOR PLATES

## DEVICE IDENTIFICATION SHEET

Trademark		Manufacturer	Aludesign S.p.A. Via Torchio 22, 24034 Cisano B.sco (BG) ITALY
Reference standards	EN 795, EN 959		

## PARTS IDENTIFICATION

PRIMARY ELEMENTS	Body.
SECONDARY ELEMENTS	/
REPLACEABLE PARTS	/

Fill-out this inspection sheet following the inspection procedure, photographs and instructions supplied by the manufacturer, which you can download from [www.climbingtechnology.com](http://www.climbingtechnology.com). **Attention!** The examiner's verdict on the severity of the anomaly must be based on objective criteria and the specific training received. The producer accepts no responsibility deriving from inexact information recorded by the user or servicer.

## DEVICE PERIODIC CHECK SHEET

1) HISTORY AND GENERAL CHECK	
1.1	Check the existence and the readability of the marking details, in particular the CE symbol and the applicable EN norm/standard.
1.2	Check that device has not exceeded the storage and/or in-use lifetime, as stated in the specific instructions for use.
1.3	Check that the device is intact and no parts are missing (check against a new product).
1.4	Check that the device has not been modified outside the factory or serviced in a non-approved centre (check against a new product).
1.5	Check that the device has not experienced an exceptional event (e.g. fall from height, violent blow, etc.). Even in the absence of visible defects or deterioration, the original strength could be seriously reduced.
2) VISUAL CHECK	
<u>Before starting the visual check remove any possible connected device, unscrew the nut and take off the plate so that it can be carefully examined.</u>	
2.1	CHECKING THE BODY  Make sure there are no cuts, cracks or sharp edges. Make sure there are no incisions deeper than 1 mm. Make sure that areas of wear are no deeper than 1 mm, paying particular attention to where the rope or connectors are in contact with the device. Make sure there is no corrosion or oxidation.
<u>At the end of the check reinstall the plate in accordance with the procedure indicated on the specific user's instructions.</u>	

The examiner's verdict on the severity of the anomaly must be based on objective criteria and the specific training received. The producer accepts no responsibility deriving from inexact information recorded by the user or servicer.